



Intel PCSD Server Memory Compatibility Test Certificate

Test System: Intel S2600JF (Jefferson Pass)	Test Result: Pass
--	--------------------------

Leveraged System(s): N/A

Module Information										
RPXXXXXXXXXXXXXXXXXXXX										Rev. 03/01/2014
DIMM Vendor	DIMM Part Number	Type	Voltage	Size	Config.	Speed	CL	R/C	Rank	
Kingston	KVR16LR11S4/8I	RDIMM	1.35V	8GB	1Gx72	1600	11	C	SR	
DRAM Vendor	DRAM Part Number	DRAM Density / Width / Date Code			Register Vendor / Rev.		DIMM Composition			
Hynix	H5TC4G43BFR-PBA	4Gb	1024Mx4bit	1438	Inphi	GS02	(1024Mx4)*72			
Leveraged Memory Modules										
Vendor	Type	Voltage	CL	Speed						
1 Kingston	KVR16LR11S4K3/24I	RDIMM	1.35V	11	1600					
2 Kingston	KVR16LR11S4K4/32I	RDIMM	1.35V	11	1600					
3 Kingston	KVR16R11S4/8I	RDIMM	1.5V	11	1600					
4 Kingston	KVR16R11S4K3/24I	RDIMM	1.5V	11	1600					
5 Kingston	KVR16R11S4K4/32I	RDIMM	1.5V	11	1600					
6										

System Configuration		
SETUP	System #1	System #2
AVL S/N	SR4140	SN5652
System S/N	QJJP13704142	QJJP13704121
Board Rev. (PBA)	G28033-501	
CPU Type	E5-2695 v2 / 2.4 GHz	
Chipset	Intel C602	
BIOS / Date	02.03.0003 / 04/19/2014	
BMC / ME	01.21.6038 / 02.01.07.328	
FUR/SDR	1.10	
OS	Windows 2008 Enterprise R2 64bit SP1	
Test Tool	iWVSS 2.5.3, SELViewer, Pvmode2, Syscfg, WinPIRA, MemPuller	

Testing Summary		
Test Items	Test Description	Test Results
1. Latest BIOS Upgrade & Configuration check	Record memory Size and Speed detection from BIOS	Done
2. SPD Check	DIMM SPD content check for JEDEC compliance	Pass
3. Memory Stress	Test for 6 hours @ Max and Min Loading	HVDD Hot Pass
4. Memory Stress		HVDD Cold Pass
5. Memory Stress		LVDD Hot Pass
6. Memory Stress		LVDD Cold Pass
Note:		

Memory Module Image							
AVL USE ONLY:							
Completed by:	Andy Chang	Completion Date:	01/16/15	AVL A#	A10272	AVL W/O	WD2655
Comments:							

Test Results

4C					
Minimum Loading					
Start Date		1/9/2015			
DIMM Voltage		1.5v			
DIMM	S/N	A	B	C	D
CPU1 A1	SV4460	P	P	P	P
CPU1 B1	SV4461	P	P	P	P
CPU1 C1	SV4462	P	P	P	P
CPU1 D1	SV4463	P	P	P	P
CPU2 E1	SV4464	P	P	P	P
CPU2 F1	SV4465	P	P	P	P
CPU2 G1	SV4466	P	P	P	P
CPU2 H1	SV4492	P	P	P	P

4C					
Maximum Loading					
Start Date		1/11/2015			
DIMM Voltage		1.35v			
DIMM	S/N	E	F	G	H
CPU1 A1	SV4460	P	P	P	P
CPU1 B1	SV4461	P	P	P	P
CPU1 C1	SV4462	P	P	P	P
CPU1 D1	SV4463	P	P	P	P
CPU2 E1	SV4464	P	P	P	P
CPU2 F1	SV4465	P	P	P	P
CPU2 G1	SV4466	P	P	P	P
CPU2 H1	SV4467	P	P	P	P